

Sealless Pumps

DRUM / BARREL / CARBOY PUMP

Contact Us



😧 +91-44-4301 2183 / +91-7200627289

Ο

sales@neweraengineers.com

No.96-A, TTK Road,, Alwarpet, Chennai, Tamil Nadu 600018, INDIA.

DRUM / BARREL / CARBOY PUMP

The drum transfer pump consist of a dip tube at the end of which the open impeller is housed, fixed on the drive shaft connected to the pump by means of a ring nut, while the transmission takes place through a transmission joint. The operation is given by the impeller, which is integral with the shaft, and is connected to the electric or pneumatic motor, by means of a coupling, which rotates it, creating the centrifugal effect to handle abrasive, corrosive and explosive fluids.



Features

- Available in hand, electric, pneumatic version with IEC and ATEX Explosion Proof version
- Can be Operated for Intermidiate supplies
- Can Run Dry
- Light & Portable
- Vertical Immersion type into Drum, Barrel or Carboy
- Wet Self Priming Max 3 mwc

M.O.C

- Polypropylene
- PVDF
- SS316

About Pump

Specifications

- Maximum Flow Rate 150 lpm
- Maximum Discharge Head or Pressure 60 mwc
- Maximum Suction Lift Dry or Wet 3 mwc
- Maximum Temperature 90 Deg C

Applications

- Applying Coolant to Metals
- Brake Fluids Transfer to Aircraft
- Brake Fluids Transfer to Vehicles
- Decanting Chemical Concentrates
- Degreasers Transfer
- Dispensing Chemicals
- Dispensing Cleaning Fluids
- 🗕 Dispensing Fertilizers & Pesticides 🛛 🔴
- Dispensing Solvents
- Fuel Transfer

- Acids and Abrasives
- Biodiesel Industries
- Ceramic Industries
- Charging Reaction Kettle
- Chemical Industries
- Decanting Barrels
- Detergents Industries
- Detergents Industries
- Diesel Transfer to DG Sets
- Environmental Industries

